



NadieMeLlamaGallina.com

Porque Yo Lo Reparo

Step by step tutorial: of Samsung Galaxy A5 (2016) Ignition pushbutton

For this tutorial you will need the following spared parts and tools that you cant get at our online store Impextrom.com
Click on a tool for visit the website.



Head made of synthetic carbon steel with titanium handle

18,63 €



Set of 5 metal picks for opening

3,09 €



Heat-opening thermal mat, CPB320

69,61 €



Screwdriver with 8 heads Peng Fa 7339A

6,96 €



Opening tool Smartphone, tablet

2,19 €



Pinza antiestática ESD redondeada

3,06 €



Anti-static tweezer tips VETUS ESD-249

4,74 €



Flexible plastic card for easy opening

0,98 €



Special SAT 0.75mm high friction PVC pick

1,07 €



Suction cup for disassembling and repairing

0,51 €

Step 1 - Remove back cover

To remove the back cover, we will first heat it to soften the adhesive. Then, with the help of a suction cup, we will introduce an opening tool between it and the frame.





Step 2 - Remove intermediate housing

We remove the seventeen screws from the case and also remove the SIM / SD tray.

With an opening tool, we will remove the housing.





Step 3 - Ignition pushbutton

To finish, we unlock the button and remove it.

